

GENERAL TIRE ™

GRABBER™ A/T^X



ALL-TERRAIN TIRE FOR LIGHT TRUCKS, SUVs & CROSSOVERS

The tough, next generation aggressive All-Terrain tire that provides exceptional off-road capability and durability with impressive on-road performance. With the 3-Peak Mountain Snowflake Certification, the Grabber A/T^X delivers excellent all weather traction.

DURAGEN

TECHNOLOGY

High Tech body reinforcements provide confident stability under all load conditions.

COMFORT BALANCE™

TECHNOLOGY

Tread cushioning system with noise isolating sound barrier ribs.



3-Peak Mountain Snowflake

GENERALTIRE.CA



1

2

3

4

GRABBER



FEATURES + BENEFITS

DuraGen™: Cut and chip resistant compound, coupled with ultra-high strength steel belts and a broad, flat contour, provide confident stability, even wear and responsive handling.

Comfort Balance™: An absorption layer isolates the vehicle from road disturbances, while sound barrier ribs impede sound generated in the centre of the pattern.

- 1 StabiliTread:** Optimized pattern stiffness and wider footprint for even wear.
- 2 Off-Road Technologies:** Features massive shoulder blocks, traction notches, five row tread pattern, sidewall protection lugs and stone bumpers for superb off-road traction and protection.
- 3 Full Depth Sipes:** High density full depth sipes provide enhanced wet and snow traction performance.
- 4 Studdable:** Allows optional aftermarket stud application for added ice traction.



3-Peak Mountain Snowflake Certification:
Certified for use in severe winter conditions.

UTQG:	TREAD	TRACTION	TEMPERATURE
ALL METRIC SIZES	640	A	B

LIMITED TREADWEAR WARRANTY	METRIC SIZES	LT AND FLOTATION SIZES
KILOMETRES	96 000 KM	80 000 KM

45 DAY Customer Satisfaction Trial

GENERAL TIRE  TM

GENERALTIRE.CA

GRABBER™ A/TX

Rim	Series	Size	Load/Speed Index	Load Range	Sidewall	Article Number
14		27X8.50R14LT	95Q	C	RWL	04508120000
	75	LT235/75R15	104/101S	C	RWL	04508390000
15		30X9.50R15LT	104S	C	RWL	04508400000
		35X12.50R15LT	113Q	C	RWL	04508410000
		31X10.50R15LT	109S	C	RWL	04508420000
		33X12.50R15LT	108R	C	RWL	04508430000
	85	LT235/85R16	120/116S	E	RWL	04508440000
16	75	225/75R16	108T	XL	RWL	04508450000
		LT245/75R16	120/116S	E	RWL	04508460000
		LT265/75R16	123/120S	E	RWL	04508470000
		LT285/75R16	126/123R	E	RWL	04508480000
		LT315/75R16	127/124R	E	RWL	04508490000
	70	LT305/70R16	124/121R	E	RWL	04508500000
17	80	LT235/80R17	120/117S	E	BSW	04508510000
	75	LT245/75R17	121/118S	E	RWL	04508520000
	70	LT245/70R17	119/116S	E	RWL	04508530000
		LT265/70R17	121/118S	E	RWL	04508370000
		265/70R17	115T	SL	RWL	04508380000
		LT275/70R17	121/118R	E	RWL	04508360000
		LT285/70R17	121/118S	E	RWL	04508350000
		LT315/70R17	121/118S	E	RWL	04508340000
		35X12.50R17LT	121R	E	RWL	04508320000
		37X12.50R17LT	124R	D	RWL	04508330000
18	70	LT265/70R18	124/121S	E	RWL	04508310000
		LT275/70R18	125/122S	E	RWL	04508300000
	65	LT275/65R18	123/120S	E	RWL	04508290000
		LT285/65R18	125/122S	E	RWL	04508270000
	60	LT285/60R18	122/119S	E	BSW	04508250000
	35X12.50R18LT	123R	E	RWL	04508240000	
20	65	LT275/65R20	126/123S	E	BSW	04508230000
		LT265/60R20	121/118S	E	BSW	04508220000
	60	LT275/60R20	119/116S	D	BSW	04508210000
		LT285/60R20	125/122S	E	BSW	04508200000
		LT325/60R20	126S	E	BSW	04508190000
		LT275/55R20	115/112T	D	BSW	04508180000
	55	LT285/55R20	117/114T	D	BSW	04508170000
		LT305/55R20	121/118S	E	BSW	04508160000
		50	305/50R20	120T	XL	BSW
		33X12.50R20LT	114S	E	BSW	04508130000
		35X12.50R20LT	121R	E	BSW	04508140000

For the latest information regarding tire size availability, please refer to our website at www.generaltire.ca.

©Continental Tire Canada INC. 2020. All rights reserved.